

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

New York State

Site of Cancer	Whites			Incidence			Males			Mortality		
	Males	Females		Males	Females		Males	Females		Males	Females	
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	38829.4	564.1	2.5	39194.8	439.1	2.0	15159.4	226.7	1.6	15705.2	164.4	1.2
Oral cavity and pharynx	989.2	14.0	0.4	514.6	5.7	0.2	230.6	3.3	0.2	129.2	1.3	0.1
Esophagus	567.2	8.2	0.3	205.2	2.1	0.1	516.2	7.5	0.3	182.8	1.8	0.1
Stomach	864.6	12.8	0.4	571.8	5.9	0.2	434.8	6.5	0.3	343.0	3.5	0.2
Colorectal	4695.0	69.1	0.9	4846.8	50.3	0.6	1692.2	25.5	0.5	1782.4	17.6	0.4
Colon excluding rectum	3277.2	48.6	0.7	3673.0	37.7	0.6	1414.6	21.4	0.5	1533.8	15.1	0.3
Rectum & rectosigmoid	1417.8	20.5	0.5	1173.8	12.6	0.3	277.6	4.1	0.2	248.6	2.5	0.1
Liver / intrahepatic bile duct	592.2	8.5	0.3	292.6	3.1	0.2	448.2	6.5	0.3	265.2	2.7	0.1
Pancreas	977.0	14.3	0.4	1114.6	11.5	0.3	862.0	12.8	0.4	978.6	9.9	0.3
Larynx	536.6	7.7	0.3	150.0	1.7	0.1	170.2	2.5	0.2	46.8	0.5	0.1
Lung and bronchus	5810.2	84.6	1.0	5259.2	57.4	0.7	4424.6	65.0	0.9	3779.2	40.3	0.6
Melanoma of the skin	1119.0	16.1	0.4	863.0	10.3	0.3	249.4	3.6	0.2	174.0	1.9	0.1
Female breast				11397.0	132.2	1.1				2506.2	26.9	0.5
Cervix uteri				637.4	8.0	0.3				205.4	2.4	0.1
Corpus uterus and NOS				2453.8	28.2	0.5				414.0	4.3	0.2
Ovary				1372.6	15.7	0.4				875.0	9.5	0.3
Prostate	10843.4	156.2	1.3				1580.8	25.4	0.6			
Testis	432.2	6.1	0.3				19.0	0.3	0.1			
Urinary bladder (incl. in situ)	3047.2	45.1	0.7	1158.4	12.2	0.3	558.8	8.7	0.3	256.6	2.5	0.1
Kidney and renal pelvis	1349.8	19.3	0.5	837.6	9.3	0.3	362.2	5.3	0.2	237.8	2.5	0.1
Brain and other nervous system	609.8	8.8	0.3	547.4	6.6	0.3	355.4	5.1	0.2	299.0	3.4	0.2
Thyroid	360.0	5.0	0.2	1049.6	13.6	0.4	28.0	0.4	0.1	50.6	0.5	0.1
Hodgkin lymphoma	278.4	4.0	0.2	238.8	3.2	0.2	41.6	0.6	0.1	41.8	0.5	0.1
Non-Hodgkin lymphomas	1672.0	24.2	0.5	1576.0	17.4	0.4	643.8	9.6	0.3	614.2	6.3	0.2
Multiple myeloma	474.6	7.0	0.3	413.6	4.4	0.2	278.0	4.2	0.2	251.6	2.6	0.1
Leukemias	1174.4	17.4	0.4	956.6	10.5	0.3	659.4	9.9	0.3	552.2	5.7	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

New York State

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	6000.6	583.6	7.0	5647.2	346.9	4.1	2331.8	251.6	4.9	2521.4	159.6	2.8
Oral cavity and pharynx	181.4	15.6	1.1	88.0	5.3	0.5	60.4	5.5	0.7	26.2	1.6	0.3
Esophagus	115.8	11.4	1.0	63.6	4.0	0.4	90.4	8.8	0.9	46.4	2.9	0.4
Stomach	162.6	17.5	1.3	156.0	10.1	0.7	100.4	11.0	1.0	84.8	5.6	0.5
Colorectal	584.2	60.5	2.3	737.8	46.8	1.5	249.4	28.0	1.7	305.8	19.8	1.0
Colon excluding rectum	428.4	45.5	2.1	578.4	36.8	1.4	213.8	24.4	1.6	276.0	17.9	0.9
Rectum & rectosigmoid	155.8	15.0	1.1	159.4	10.0	0.7	35.6	3.7	0.6	29.8	1.9	0.3
Liver / intrahepatic bile duct	133.2	11.6	0.9	61.4	3.9	0.4	89.4	8.3	0.8	51.0	3.3	0.4
Pancreas	136.4	14.2	1.1	196.0	12.7	0.8	114.0	12.0	1.0	160.4	10.5	0.7
Larynx	94.2	8.6	0.8	33.0	2.0	0.3	46.4	4.4	0.6	14.4	0.9	0.2
Lung and bronchus	818.0	81.8	2.6	630.4	39.5	1.4	631.4	64.6	2.4	470.0	29.7	1.2
Melanoma of the skin	6.8	0.6	0.2	11.0	0.7	0.2	4.2	0.5	0.2	4.6	0.3	0.1
Female breast				1581.0	94.8	2.1				477.4	29.3	1.2
Cervix uteri				237.4	14.0	0.8				81.6	4.9	0.5
Corpus uterus and NOS				354.2	21.7	1.0				119.4	7.5	0.6
Ovary				166.2	10.1	0.7				106.6	6.7	0.6
Prostate	2494.0	248.9	4.6				415.6	56.0	2.5			
Testis	22.0	1.4	0.3				1.6	0.1	0.1			
Urinary bladder (incl. in situ)	145.6	16.0	1.2	88.4	5.8	0.5	36.4	4.4	0.7	37.6	2.5	0.4
Kidney and renal pelvis	144.2	12.9	1.0	116.8	7.2	0.6	35.6	3.5	0.6	26.2	1.7	0.3
Brain and other nervous system	62.2	4.8	0.6	68.4	4.0	0.4	27.8	2.3	0.4	27.4	1.6	0.3
Thyroid	25.4	1.9	0.4	119.2	6.7	0.5	2.0	0.2	0.1	10.6	0.7	0.2
Hodgkin lymphoma	46.0	3.0	0.4	34.4	1.8	0.3	6.8	0.5	0.2	4.2	0.2	0.1
Non-Hodgkin lymphomas	219.0	17.5	1.1	196.6	11.6	0.7	80.4	7.2	0.8	66.0	4.1	0.4
Multiple myeloma	112.4	11.3	1.0	151.2	9.7	0.7	51.6	5.3	0.7	77.2	5.1	0.5
Leukemias	112.6	10.1	0.9	111.8	6.9	0.6	59.8	5.9	0.7	68.4	4.3	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

New York State

Asians and Pacific Islanders

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1247.8	327.7	9.0	1240.0	254.9	6.7	465.0	138.2	6.2	364.4	86.7	4.2
Oral cavity and pharynx	63.2	12.7	1.5	28.4	5.3	0.9	20.8	5.0	1.1	6.2	1.3	0.5
Esophagus	17.4	4.7	1.1	4.8	1.2	0.5	12.0	3.4	0.9	2.8	0.7	0.4
Stomach	89.6	24.5	2.5	52.4	12.1	1.6	44.0	12.7	1.9	25.4	6.4	1.2
Colorectal	167.4	46.5	3.5	144.2	33.3	2.5	47.2	15.6	2.2	37.6	9.2	1.4
Colon excluding rectum	107.0	30.8	2.9	101.2	23.8	2.2	38.6	13.3	2.1	32.6	8.1	1.3
Rectum & rectosigmoid	60.4	15.6	2.0	43.0	9.5	1.3	8.6	2.2	0.8	5.0	1.1	0.5
Liver / intrahepatic bile duct	105.4	24.0	2.2	36.6	8.4	1.3	59.6	15.1	1.9	22.2	5.4	1.1
Pancreas	35.2	9.8	1.6	31.0	8.0	1.3	22.8	6.6	1.3	26.4	7.1	1.2
Larynx	13.0	3.3	0.9	1.4	0.3	0.2	2.4	0.7	0.4	0.0	0.0	0.0
Lung and bronchus	178.0	52.7	3.8	101.4	23.9	2.2	125.6	39.4	3.4	66.6	16.9	1.9
Melanoma of the skin	5.0	1.2	0.5	2.4	0.5	0.3	2.0	0.6	0.4	1.2	0.2	0.2
Female breast				372.2	69.2	3.3				49.2	10.0	1.3
Cervix uteri				41.6	7.7	1.1				12.2	2.6	0.7
Corpus uterus and NOS				71.6	13.6	1.5				11.2	2.5	0.7
Ovary				51.6	9.9	1.3				23.2	5.1	1.0
Prostate	235.0	66.8	4.1				23.4	9.8	1.9			
Testis	8.6	1.3	0.4				0.4	0.1	0.1			
Urinary bladder (incl. in situ)	51.0	15.3	2.0	17.4	4.4	1.0	9.6	3.6	1.1	3.6	1.1	0.5
Kidney and renal pelvis	36.2	8.3	1.3	16.6	3.7	0.8	7.4	2.2	0.8	3.2	0.8	0.4
Brain and other nervous system	24.4	5.0	1.0	19.0	3.7	0.8	8.2	1.9	0.7	6.8	1.5	0.5
Thyroid	20.6	3.7	0.8	73.4	12.0	1.3	0.8	0.3	0.4	1.0	0.3	0.3
Hodgkin lymphoma	7.2	1.2	0.4	5.0	0.8	0.3	0.4	0.1	0.2	0.6	0.1	0.2
Non-Hodgkin lymphomas	53.0	13.1	1.8	43.0	9.5	1.3	15.8	4.4	1.1	10.2	2.6	0.8
Multiple myeloma	11.0	2.9	0.8	10.8	2.7	0.8	4.0	1.2	0.6	6.8	1.7	0.6
Leukemias	39.6	9.0	1.4	28.2	5.7	1.0	19.4	4.6	1.0	13.0	2.9	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York City*

Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	10819.8	514.0	4.3	11565.4	405.0	3.4	4237.8	205.2	2.8	4606.2	150.4	2.0
Oral cavity and pharynx	298.4	13.9	0.7	148.6	5.2	0.4	72.0	3.4	0.4	35.4	1.1	0.2
Esophagus	147.6	7.0	0.5	62.2	2.0	0.2	126.2	6.0	0.5	49.6	1.5	0.2
Stomach	314.6	15.1	0.8	243.4	7.9	0.5	164.4	8.0	0.5	147.0	4.7	0.3
Colorectal	1410.6	67.8	1.6	1478.6	47.8	1.1	518.8	25.2	1.0	556.6	17.2	0.7
Colon excluding rectum	1004.0	48.5	1.3	1120.0	35.8	1.0	448.8	21.9	0.9	485.6	15.0	0.6
Rectum & rectosigmoid	406.6	19.3	0.8	358.6	12.0	0.6	70.0	3.4	0.4	71.0	2.3	0.2
Liver / intrahepatic bile duct	257.0	12.1	0.7	123.0	4.1	0.3	181.8	8.6	0.6	108.8	3.5	0.3
Pancreas	306.8	14.8	0.7	355.4	11.2	0.5	255.2	12.3	0.7	294.4	9.1	0.5
Larynx	165.2	7.8	0.5	47.2	1.7	0.2	59.4	2.8	0.3	16.2	0.5	0.1
Lung and bronchus	1506.2	72.0	1.6	1370.6	46.3	1.1	1132.6	54.4	1.4	973.2	32.0	0.9
Melanoma of the skin	257.6	12.1	0.7	220.6	8.0	0.5	59.2	2.8	0.3	50.4	1.7	0.2
Female breast				3273.4	120.1	1.9				792.4	26.7	0.9
Cervix uteri				231.0	9.1	0.5				77.6	2.9	0.3
Corpus uterus and NOS				746.8	27.0	0.9				136.6	4.5	0.3
Ovary				413.8	15.1	0.7				258.6	8.9	0.5
Prostate	2784.2	132.5	2.2				458.2	23.1	0.9			
Testis	123.2	5.0	0.4				4.6	0.2	0.1			
Urinary bladder (incl. in situ)	763.0	37.0	1.2	313.6	10.2	0.5	150.4	7.5	0.5	70.0	2.1	0.2
Kidney and renal pelvis	402.4	19.0	0.8	243.4	8.4	0.5	100.0	4.8	0.4	61.0	2.0	0.2
Brain and other nervous system	171.8	7.9	0.5	166.6	6.2	0.4	96.2	4.5	0.4	83.0	3.0	0.3
Thyroid	108.0	4.9	0.4	300.2	11.8	0.6	9.6	0.5	0.1	17.6	0.5	0.1
Hodgkin lymphoma	88.6	3.9	0.4	84.4	3.4	0.3	14.8	0.7	0.2	12.0	0.4	0.1
Non-Hodgkin lymphomas	524.2	24.6	0.9	480.8	16.7	0.7	189.6	9.1	0.6	179.2	5.7	0.4
Multiple myeloma	129.8	6.2	0.5	133.6	4.6	0.4	67.0	3.3	0.4	76.6	2.5	0.3
Leukemias	309.4	14.8	0.7	289.6	10.0	0.5	173.6	8.3	0.6	165.0	5.4	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York City*

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4204.4	561.7	8.0	4182.4	337.9	4.6	1605.6	236.4	5.5	1853.8	153.3	3.1
Oral cavity and pharynx	127.8	15.2	1.2	63.8	5.1	0.6	40.4	5.0	0.7	18.0	1.5	0.3
Esophagus	79.0	10.7	1.1	48.2	4.0	0.5	60.6	8.1	0.9	34.4	2.8	0.4
Stomach	120.6	17.8	1.5	124.2	10.5	0.8	72.2	10.9	1.2	67.4	5.7	0.6
Colorectal	398.4	56.7	2.6	549.0	45.5	1.7	178.4	27.3	1.9	230.8	19.4	1.1
Colon excluding rectum	288.8	41.9	2.3	427.6	35.5	1.5	155.4	24.0	1.8	209.2	17.6	1.1
Rectum & rectosigmoid	109.6	14.8	1.3	121.4	9.9	0.8	23.0	3.2	0.6	21.6	1.8	0.3
Liver / intrahepatic bile duct	100.2	12.2	1.1	48.4	4.0	0.5	65.8	8.6	1.0	39.4	3.3	0.5
Pancreas	92.4	13.3	1.3	144.6	12.2	0.9	76.4	11.0	1.2	115.2	9.8	0.8
Larynx	65.4	8.3	0.9	24.2	2.0	0.4	33.0	4.3	0.7	10.4	0.9	0.2
Lung and bronchus	537.2	73.9	2.9	441.0	36.2	1.5	410.4	57.5	2.6	329.6	27.2	1.3
Melanoma of the skin	4.8	0.6	0.3	8.0	0.7	0.2	2.6	0.4	0.2	3.2	0.3	0.1
Female breast				1166.0	92.5	2.4				359.8	29.1	1.4
Cervix uteri				189.8	14.8	0.9				66.2	5.2	0.6
Corpus uterus and NOS				278.2	22.4	1.2				90.6	7.4	0.7
Ovary				127.0	10.2	0.8				77.6	6.4	0.6
Prostate	1784.2	243.4	5.3				303.8	54.3	2.9			
Testis	15.0	1.4	0.3				1.4	0.2	0.1			
Urinary bladder (incl. in situ)	97.0	14.7	1.4	65.2	5.5	0.6	26.0	4.1	0.7	28.6	2.5	0.4
Kidney and renal pelvis	97.6	12.1	1.1	81.6	6.6	0.6	23.2	3.2	0.6	18.4	1.5	0.3
Brain and other nervous system	43.8	4.8	0.7	48.6	3.8	0.5	18.4	2.1	0.5	19.0	1.5	0.3
Thyroid	16.6	1.8	0.4	84.8	6.4	0.6	1.6	0.2	0.1	8.0	0.7	0.2
Hodgkin lymphoma	30.2	2.9	0.5	23.6	1.7	0.3	5.2	0.6	0.2	3.4	0.2	0.1
Non-Hodgkin lymphomas	154.4	17.3	1.3	144.0	11.3	0.8	58.8	7.3	0.9	49.2	3.9	0.5
Multiple myeloma	77.6	10.7	1.1	112.0	9.3	0.8	33.0	4.6	0.7	54.6	4.6	0.6
Leukemias	79.6	9.8	1.0	82.0	6.7	0.6	41.6	5.7	0.8	49.6	4.1	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York City*

*Asians and Pacific Islanders*

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	999.0	331.7	10.0	968.4	256.1	7.5	397.6	148.1	7.1	299.2	90.6	4.8
Oral cavity and pharynx	55.8	14.2	1.8	24.8	5.9	1.1	18.4	5.6	1.3	5.4	1.4	0.6
Esophagus	13.6	4.5	1.2	3.8	1.1	0.5	10.2	3.6	1.1	2.0	0.6	0.4
Stomach	75.2	25.8	2.9	42.8	12.5	1.7	36.8	13.2	2.1	21.4	6.7	1.3
Colorectal	137.0	48.1	4.0	115.0	33.6	2.9	41.0	17.0	2.6	33.0	10.1	1.6
Colon excluding rectum	88.4	32.1	3.3	81.8	24.4	2.5	33.2	14.4	2.4	28.6	8.9	1.5
Rectum & rectosigmoid	48.6	16.1	2.2	33.2	9.2	1.5	7.8	2.6	0.9	4.4	1.2	0.5
Liver / intrahepatic bile duct	91.0	26.4	2.6	30.6	8.8	1.4	53.0	16.8	2.2	18.6	5.7	1.2
Pancreas	28.4	9.9	1.8	25.6	8.4	1.5	17.2	6.3	1.5	21.6	7.4	1.4
Larynx	10.8	3.5	1.0	0.8	0.2	0.2	2.2	0.8	0.5	0.0	0.0	0.0
Lung and bronchus	153.6	56.6	4.3	80.8	24.2	2.4	110.4	42.9	3.9	56.2	17.9	2.2
Melanoma of the skin	3.4	1.1	0.6	2.0	0.5	0.3	1.8	0.7	0.5	1.2	0.3	0.2
Female breast				282.6	68.4	3.7				37.6	10.0	1.5
Cervix uteri				33.8	8.1	1.3				9.0	2.4	0.7
Corpus uterus and NOS				56.2	13.8	1.7				9.6	2.7	0.8
Ovary				39.6	9.9	1.4				18.6	5.3	1.1
Prostate	171.2	62.0	4.4				20.2	10.3	2.1			
Testis	6.0	1.2	0.4				0.2	0.0	0.1			
Urinary bladder (incl. in situ)	41.0	15.4	2.3	13.2	4.2	1.1	9.0	4.2	1.3	3.6	1.3	0.6
Kidney and renal pelvis	28.6	8.4	1.5	13.2	3.7	0.9	6.0	2.3	0.9	2.6	0.8	0.5
Brain and other nervous system	17.2	4.6	1.1	15.4	4.0	0.9	5.6	1.7	0.7	5.2	1.5	0.6
Thyroid	16.2	3.8	0.9	54.2	11.5	1.4	0.6	0.3	0.4	0.4	0.2	0.2
Hodgkin lymphoma	6.0	1.3	0.5	3.2	0.7	0.4	0.4	0.1	0.2	0.4	0.1	0.1
Non-Hodgkin lymphomas	39.0	12.1	1.9	30.4	8.5	1.4	12.4	4.3	1.2	8.6	2.8	0.9
Multiple myeloma	8.6	3.0	0.9	8.6	2.8	0.9	3.2	1.2	0.6	5.4	1.8	0.7
Leukemias	30.2	8.9	1.6	23.2	6.2	1.2	17.2	5.2	1.2	10.4	3.0	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York State Excl New York City*

Site of Cancer	Whites			Incidence			Males			Mortality						
	Males	Females		Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	28009.6	586.4	3.1	27629.4	455.3	2.4	10921.6	236.9	2.0	11099.0	171.1	1.4				
Oral cavity and pharynx	690.8	14.1	0.5	366.0	6.0	0.3	158.6	3.3	0.2	93.8	1.4	0.1				
Esophagus	419.6	8.7	0.4	143.0	2.2	0.2	390.0	8.2	0.4	133.2	2.0	0.2				
Stomach	550.0	11.7	0.4	328.4	5.0	0.2	270.4	5.9	0.3	196.0	2.9	0.2				
Colorectal	3284.4	69.7	1.1	3368.2	51.6	0.8	1173.4	25.7	0.7	1225.8	17.8	0.5				
Colon excluding rectum	2273.2	48.6	0.9	2553.0	38.7	0.7	965.8	21.2	0.6	1048.2	15.2	0.4				
Rectum & rectosigmoid	1011.2	21.1	0.6	815.2	12.9	0.4	207.6	4.5	0.3	177.6	2.7	0.2				
Liver / intrahepatic bile duct	335.2	7.0	0.3	169.6	2.7	0.2	266.4	5.6	0.3	156.4	2.3	0.2				
Pancreas	670.2	14.1	0.5	759.2	11.6	0.4	606.8	12.9	0.5	684.2	10.3	0.3				
Larynx	371.4	7.6	0.3	102.8	1.7	0.1	110.8	2.3	0.2	30.6	0.5	0.1				
Lung and bronchus	4304.0	90.2	1.2	3888.6	62.5	0.9	3292.0	69.8	1.1	2806.0	44.2	0.7				
Melanoma of the skin	861.4	17.9	0.5	642.4	11.3	0.4	190.2	4.0	0.3	123.6	2.0	0.2				
Female breast				8123.6	137.8	1.4					1713.8	27.1	0.6			
Cervix uteri				406.4	7.5	0.3					127.8	2.2	0.2			
Corpus uterus and NOS				1707.0	28.7	0.6					277.4	4.2	0.2			
Ovary				958.8	16.1	0.5					616.4	9.8	0.3			
Prostate	8059.2	166.6	1.6					1122.6	26.5	0.7						
Testis	309.0	6.7	0.3					14.4	0.3	0.1						
Urinary bladder (incl. in situ)	2284.2	48.6	0.9	844.8	13.2	0.4	408.4	9.3	0.4	186.6	2.7	0.2				
Kidney and renal pelvis	947.4	19.5	0.6	594.2	9.8	0.4	262.2	5.6	0.3	176.8	2.7	0.2				
Brain and other nervous system	438.0	9.1	0.4	380.8	6.8	0.3	259.2	5.3	0.3	216.0	3.6	0.2				
Thyroid	252.0	5.1	0.3	749.4	14.6	0.5	18.4	0.4	0.1	33.0	0.5	0.1				
Hodgkin lymphoma	189.8	4.0	0.3	154.4	3.1	0.2	26.8	0.6	0.1	29.8	0.5	0.1				
Non-Hodgkin lymphomas	1147.8	24.1	0.6	1095.2	17.8	0.5	454.2	9.8	0.4	435.0	6.6	0.3				
Multiple myeloma	344.8	7.3	0.3	280.0	4.3	0.2	211.0	4.6	0.3	175.0	2.6	0.2				
Leukemias	865.0	18.6	0.6	667.0	10.8	0.4	485.8	10.6	0.4	387.2	5.9	0.3				

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York State Excl New York City*

Site of Cancer	Blacks			Incidence			Males			Mortality					
	Males	Females		Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1796.2	644.4	14.5	1464.8	376.0	8.8	726.2	295.6	10.6	667.6	180.6	6.2			
Oral cavity and pharynx	53.6	16.7	2.1	24.2	6.2	1.1	20.0	6.9	1.5	8.2	2.3	0.7			
Esophagus	36.8	13.3	2.1	15.4	4.1	0.9	29.8	11.1	1.9	12.0	3.2	0.8			
Stomach	42.0	16.6	2.5	31.8	8.9	1.4	28.2	11.5	2.1	17.4	5.0	1.1			
Colorectal	185.8	71.0	5.0	188.8	51.2	3.3	71.0	30.2	3.5	75.0	20.9	2.1			
Colon excluding rectum	139.6	55.7	4.5	150.8	41.0	3.0	58.4	25.4	3.2	66.8	18.6	2.0			
Rectum & rectosigmoid	46.2	15.3	2.1	38.0	10.2	1.5	12.6	4.8	1.3	8.2	2.3	0.7			
Liver / intrahepatic bile duct	33.0	10.0	1.6	13.0	3.6	0.9	23.6	7.6	1.5	11.6	3.2	0.8			
Pancreas	44.0	16.6	2.4	51.4	14.5	1.8	37.6	14.7	2.3	45.2	12.9	1.7			
Larynx	28.8	9.3	1.6	8.8	2.1	0.6	13.4	4.8	1.2	4.0	1.0	0.5			
Lung and bronchus	280.8	103.9	5.8	189.4	50.4	3.3	221.0	84.5	5.4	140.4	38.0	2.9			
Melanoma of the skin	2.0	0.7	0.5	3.0	0.7	0.4	1.6	0.8	0.6	1.4	0.4	0.3			
Female breast				415.0	101.7	4.4				117.6	29.8	2.5			
Cervix uteri				47.6	11.6	1.5				15.4	3.8	0.9			
Corpus uterus and NOS				76.0	19.7	2.0				28.8	8.0	1.3			
Ovary				39.2	9.9	1.4				29.0	7.7	1.3			
Prostate	709.8	264.0	9.3				111.8	61.3	5.4						
Testis	7.0	1.5	0.5				0.2	0.0	0.1						
Urinary bladder (incl. in situ)	48.6	19.9	2.8	23.2	6.6	1.2	10.4	5.4	1.6	9.0	2.7	0.8			
Kidney and renal pelvis	46.6	14.9	2.1	35.2	9.0	1.4	12.4	4.5	1.2	7.8	2.1	0.7			
Brain and other nervous system	18.4	4.7	1.0	19.8	4.6	0.9	9.4	2.7	0.8	8.4	2.0	0.6			
Thyroid	8.8	2.5	0.8	34.4	7.7	1.2	0.4	0.1	0.2	2.6	0.7	0.4			
Hodgkin lymphoma	15.8	3.2	0.7	10.8	2.2	0.6	1.6	0.4	0.3	0.8	0.2	0.2			
Non-Hodgkin lymphomas	64.6	18.2	2.1	52.6	12.7	1.6	21.6	7.2	1.5	16.8	4.5	1.0			
Multiple myeloma	34.8	12.9	2.1	39.2	10.9	1.5	18.6	7.4	1.6	22.6	6.5	1.2			
Leukemias	33.0	11.0	1.9	29.8	7.5	1.2	18.2	6.3	1.4	18.8	5.0	1.0			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York State Excl New York City*

*Asians and Pacific Islanders*

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	248.8	316.8	20.7	271.6	253.3	14.9	67.4	99.1	12.5	65.2	70.6	8.4						
Oral cavity and pharynx	7.4	7.8	2.9	3.6	3.1	1.5	2.4	2.9	2.1	0.8	0.8	0.8						
Esophagus	3.8	5.8	2.9	1.0	1.3	1.2	1.8	2.8	2.0	0.8	1.2	1.3						
Stomach	14.4	19.9	5.4	9.6	11.3	3.5	7.2	11.0	4.1	4.0	5.3	2.5						
Colorectal	30.4	39.4	7.4	29.2	32.2	5.7	6.2	9.5	4.0	4.6	5.4	2.4						
Colon excluding rectum	18.6	25.8	6.1	19.4	21.4	4.7	5.4	8.8	4.0	4.0	4.8	2.2						
Rectum & rectosigmoid	11.8	13.5	4.1	9.8	10.8	3.3	0.8	0.8	0.8	0.6	0.7	0.9						
Liver / intrahepatic bile duct	14.4	15.0	4.0	6.0	7.4	2.8	6.6	8.8	3.5	3.6	4.3	2.2						
Pancreas	6.8	9.7	3.8	5.4	5.7	2.4	5.6	7.7	3.3	4.8	5.6	2.4						
Larynx	2.2	2.3	1.6	0.6	0.4	0.5	0.2	0.5	0.9	0.0	0.0	0.0						
Lung and bronchus	24.4	37.8	7.7	20.6	22.8	4.8	15.2	25.0	6.4	10.4	12.5	3.7						
Melanoma of the skin	1.6	1.8	1.5	0.4	0.2	0.3	0.2	0.2	0.4	0.0	0.0	0.0						
Female breast				89.6	72.2	7.3				11.6	9.7	2.7						
Cervix uteri				7.8	6.5	2.3				3.2	3.0	1.7						
Corpus uterus and NOS				15.4	13.4	3.3				1.6	1.5	1.1						
Ovary				12.0	10.0	2.7				4.6	4.6	2.0						
Prostate	63.8	86.5	10.8				3.2	7.6	4.0									
Testis	2.6	1.4	0.8				0.2	0.1	0.2									
Urinary bladder (incl. in situ)	10.0	14.9	4.7	4.2	5.4	2.5	0.6	1.0	1.5	0.0	0.0	0.0						
Kidney and renal pelvis	7.6	7.8	3.0	3.4	3.6	1.9	1.4	1.8	1.7	0.6	0.6	0.7						
Brain and other nervous system	7.2	6.1	2.2	3.6	2.9	1.5	2.6	2.5	1.6	1.6	1.7	1.3						
Thyroid	4.4	3.1	1.4	19.2	14.5	3.2	0.2	0.2	0.4	0.6	1.0	1.2						
Hodgkin lymphoma	1.2	0.7	0.6	1.8	1.2	0.8	0.0	0.0	0.0	0.2	0.3	0.7						
Non-Hodgkin lymphomas	14.0	17.9	5.0	12.6	13.8	3.7	3.4	5.0	2.8	1.6	1.7	1.3						
Multiple myeloma	2.4	2.8	1.8	2.2	2.3	1.6	0.8	1.1	1.2	1.4	1.6	1.3						
Leukemias	9.4	9.4	3.2	5.0	4.3	1.9	2.2	2.7	1.9	2.6	2.3	1.4						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Bronx

Whites

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1404.0	530.5	12.5	1471.4	382.4	8.9	621.0	238.7	8.4	660.0	162.8	5.7
Oral cavity and pharynx	49.8	18.4	2.3	19.8	5.4	1.1	14.4	5.4	1.3	5.2	1.3	0.5
Esophagus	25.8	9.8	1.7	9.0	2.2	0.7	20.8	7.9	1.5	9.4	2.3	0.7
Stomach	45.4	17.5	2.3	35.0	8.7	1.3	30.8	11.9	1.9	23.6	5.7	1.1
Colorectal	178.2	68.4	4.5	195.4	47.5	3.0	74.6	28.8	2.9	87.6	20.5	2.0
Colon excluding rectum	126.2	48.7	3.8	146.6	35.0	2.6	63.6	24.6	2.7	75.8	17.7	1.8
Rectum & rectosigmoid	52.0	19.7	2.4	48.8	12.5	1.6	11.0	4.2	1.1	11.8	2.9	0.7
Liver / intrahepatic bile duct	49.6	18.4	2.3	25.2	6.5	1.2	31.6	11.8	1.9	20.4	5.0	1.0
Pancreas	36.8	14.0	2.0	47.6	11.1	1.4	27.8	10.7	1.8	38.6	9.0	1.3
Larynx	25.6	9.6	1.7	9.2	2.5	0.7	11.2	4.2	1.1	3.2	0.8	0.4
Lung and bronchus	193.0	73.7	4.7	166.8	42.4	2.9	156.8	60.5	4.2	126.6	31.6	2.5
Melanoma of the skin	18.6	7.1	1.5	14.4	3.6	0.9	8.4	3.2	1.0	5.0	1.2	0.5
Female breast				388.2	105.4	4.8				109.2	28.0	2.4
Cervix uteri				42.0	12.2	1.7				18.0	5.2	1.1
Corpus uterus and NOS				88.4	23.8	2.2				16.2	4.0	0.9
Ovary				47.6	12.5	1.6				32.8	8.2	1.3
Prostate	376.8	144.1	6.5				76.0	30.6	3.1			
Testis	11.6	3.5	0.9				1.0	0.3	0.3			
Urinary bladder (incl. in situ)	73.2	28.8	3.0	37.2	9.0	1.3	18.6	7.4	1.5	11.0	2.5	0.7
Kidney and renal pelvis	42.8	16.2	2.2	30.0	7.9	1.3	15.8	6.0	1.3	9.4	2.3	0.7
Brain and other nervous system	17.8	6.3	1.3	20.4	5.4	1.1	12.0	4.3	1.1	12.0	3.1	0.8
Thyroid	9.8	3.5	1.0	29.4	8.4	1.4	1.6	0.6	0.4	2.4	0.6	0.4
Hodgkin lymphoma	12.8	4.2	1.1	10.0	2.8	0.8	4.2	1.5	0.7	2.0	0.5	0.3
Non-Hodgkin lymphomas	69.8	25.5	2.7	67.4	17.6	1.9	23.6	8.8	1.6	29.2	7.1	1.2
Multiple myeloma	22.4	8.5	1.6	25.4	6.7	1.2	10.6	4.1	1.1	14.8	3.6	0.8
Leukemias	41.6	15.3	2.1	42.2	10.8	1.5	24.0	9.0	1.6	19.8	4.9	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Bronx

Blacks

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	841.0	530.6	17.1	887.0	333.7	9.9	326.4	222.0	11.5	404.8	158.0	6.9
Oral cavity and pharynx	24.8	13.8	2.5	13.0	4.8	1.2	7.8	5.0	1.7	3.6	1.4	0.6
Esophagus	14.6	9.3	2.3	10.6	4.2	1.1	12.4	7.9	2.1	8.2	3.3	1.0
Stomach	23.8	16.0	3.1	27.2	11.0	1.9	13.2	8.8	2.2	13.0	5.3	1.3
Colorectal	81.8	56.6	5.9	113.8	44.6	3.7	32.6	23.6	3.9	51.4	20.6	2.5
Colon excluding rectum	60.4	42.6	5.1	92.0	36.3	3.3	29.2	21.5	3.7	46.2	18.6	2.4
Rectum & rectosigmoid	21.4	14.1	2.8	21.8	8.3	1.6	3.4	2.1	1.1	5.2	2.0	0.8
Liver / intrahepatic bile duct	22.6	12.6	2.5	9.4	3.6	1.0	13.0	7.6	2.0	10.0	3.9	1.1
Pancreas	19.8	13.2	2.8	32.6	13.1	2.0	16.0	10.6	2.4	25.4	10.3	1.8
Larynx	15.2	9.2	2.2	7.0	2.7	0.9	9.2	5.9	1.8	3.4	1.3	0.6
Lung and bronchus	113.8	74.5	6.5	102.2	39.4	3.4	86.6	55.7	5.5	80.4	31.5	3.1
Melanoma of the skin	0.8	0.4	0.5	2.0	0.8	0.5	0.4	0.2	0.2	0.6	0.2	0.3
Female breast				230.2	84.3	4.9				69.4	26.0	2.8
Cervix uteri				40.2	14.1	2.0				15.2	5.5	1.2
Corpus uterus and NOS				58.4	21.9	2.5				19.0	7.4	1.5
Ovary				25.4	9.6	1.7				16.4	6.4	1.4
Prostate	322.8	213.2	11.0				61.2	51.9	6.1			
Testis	2.4	0.8	0.5				0.4	0.1	0.2			
Urinary bladder (incl. in situ)	18.2	13.0	2.8	18.0	7.3	1.5	4.8	3.5	1.5	6.8	2.7	0.9
Kidney and renal pelvis	20.6	11.2	2.3	20.4	7.6	1.5	5.4	3.5	1.4	2.4	1.0	0.6
Brain and other nervous system	10.2	5.3	1.6	9.4	3.4	1.0	4.0	2.2	1.1	3.8	1.4	0.6
Thyroid	4.4	2.2	0.9	17.4	5.8	1.2	0.0	0.0	0.0	1.6	0.6	0.4
Hodgkin lymphoma	8.8	3.8	1.2	5.4	1.7	0.6	1.2	0.5	0.4	0.6	0.2	0.2
Non-Hodgkin lymphomas	32.8	16.6	2.7	31.0	10.9	1.7	11.4	6.1	1.7	11.6	4.5	1.2
Multiple myeloma	17.6	11.3	2.5	25.4	10.1	1.8	8.4	5.5	1.8	11.2	4.5	1.2
Leukemias	21.4	12.1	2.5	21.2	8.0	1.5	8.8	5.3	1.7	13.0	4.9	1.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Kings (Brooklyn)*

Site of Cancer	Whites			Incidence			Males			Mortality					
	Males	Females		Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2917.0	500.0	8.1	3206.0	408.0	6.5	1128.6	193.9	5.1	1216.4	142.4	3.7			
Oral cavity and pharynx	73.2	12.6	1.3	39.6	5.0	0.7	18.0	3.1	0.6	8.8	1.0	0.3			
Esophagus	36.6	6.3	0.9	17.6	2.0	0.4	31.0	5.3	0.8	13.0	1.4	0.4			
Stomach	98.0	16.9	1.5	79.2	9.2	0.9	49.6	8.5	1.1	46.4	5.4	0.7			
Colorectal	436.8	75.1	3.2	461.0	53.3	2.2	150.8	25.8	1.8	158.4	17.4	1.2			
Colon excluding rectum	318.8	54.8	2.7	356.2	40.6	1.9	133.8	22.9	1.7	140.0	15.2	1.2			
Rectum & rectosigmoid	118.0	20.3	1.6	104.8	12.7	1.1	17.0	2.9	0.6	18.4	2.1	0.4			
Liver / intrahepatic bile duct	64.0	11.0	1.2	30.0	3.7	0.6	46.0	7.9	1.0	28.4	3.3	0.6			
Pancreas	86.2	14.8	1.4	93.8	10.7	1.0	67.8	11.7	1.2	79.6	8.9	0.9			
Larynx	45.8	7.9	1.0	11.2	1.4	0.4	15.6	2.7	0.6	3.4	0.4	0.2			
Lung and bronchus	418.2	71.9	3.1	344.2	41.8	2.0	316.8	54.4	2.7	236.2	27.7	1.6			
Melanoma of the skin	63.4	10.9	1.2	54.0	7.1	0.9	13.6	2.4	0.6	14.8	1.8	0.4			
Female breast				881.6	118.8	3.6				211.6	26.1	1.6			
Cervix uteri				66.0	9.9	1.1				19.0	2.6	0.5			
Corpus uterus and NOS				222.4	29.6	1.8				38.2	4.6	0.7			
Ovary				108.8	14.6	1.3				69.4	8.6	0.9			
Prostate	681.4	116.9	3.9				113.4	19.6	1.6						
Testis	27.6	4.3	0.7				0.4	0.1	0.1						
Urinary bladder (incl. in situ)	223.4	38.4	2.3	84.2	9.9	1.0	38.0	6.5	0.9	15.4	1.6	0.4			
Kidney and renal pelvis	117.0	20.2	1.6	79.6	9.9	1.0	25.0	4.3	0.8	18.4	2.1	0.4			
Brain and other nervous system	47.4	8.1	1.0	45.4	6.1	0.8	26.0	4.5	0.8	19.6	2.4	0.5			
Thyroid	30.0	5.0	0.8	81.0	12.0	1.2	1.6	0.3	0.2	6.0	0.7	0.2			
Hodgkin lymphoma	25.2	4.1	0.7	26.0	3.9	0.7	3.2	0.5	0.3	3.8	0.5	0.2			
Non-Hodgkin lymphomas	132.8	22.7	1.7	131.6	16.6	1.3	43.6	7.5	1.0	43.6	5.0	0.7			
Multiple myeloma	31.0	5.3	0.8	29.6	3.7	0.6	17.4	3.0	0.6	15.8	1.9	0.4			
Leukemias	91.6	15.6	1.4	81.2	9.8	1.0	48.0	8.2	1.0	42.8	5.0	0.7			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Kings (Brooklyn)*

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1689.0	594.0	13.6	1646.2	337.1	7.4	614.4	238.9	9.2	724.0	153.7	5.1
Oral cavity and pharynx	54.6	16.4	2.0	23.6	4.7	0.9	20.4	6.4	1.3	8.2	1.7	0.5
Esophagus	32.8	11.3	1.8	15.0	3.1	0.7	25.2	8.6	1.6	11.0	2.3	0.6
Stomach	48.0	19.0	2.6	51.2	11.3	1.4	30.2	12.1	2.1	27.4	6.1	1.0
Colorectal	156.4	58.0	4.4	211.8	45.2	2.8	66.6	27.0	3.1	88.8	19.4	1.8
Colon excluding rectum	115.6	43.9	3.8	163.0	34.9	2.4	57.8	23.3	2.9	81.4	17.8	1.7
Rectum & rectosigmoid	40.8	14.1	2.1	48.8	10.3	1.3	8.8	3.6	1.2	7.4	1.6	0.5
Liver / intrahepatic bile duct	34.4	10.9	1.7	19.4	4.1	0.8	25.0	8.7	1.6	12.8	2.7	0.7
Pancreas	32.8	12.3	2.0	53.8	12.0	1.4	27.4	10.1	1.8	41.0	9.2	1.3
Larynx	25.0	8.1	1.5	7.6	1.6	0.5	12.2	4.0	1.1	3.4	0.7	0.4
Lung and bronchus	191.0	67.9	4.6	143.6	29.8	2.2	143.4	51.8	4.0	115.4	24.2	2.0
Melanoma of the skin	2.4	0.7	0.4	4.0	0.9	0.4	1.0	0.3	0.2	1.0	0.2	0.2
Female breast				472.0	94.1	3.8				150.4	31.2	2.3
Cervix uteri				85.4	16.8	1.6				25.8	5.2	0.9
Corpus uterus and NOS				118.6	24.2	2.0				39.8	8.4	1.2
Ovary				46.6	9.4	1.2				28.6	6.0	1.0
Prostate	779.2	281.6	9.4				119.4	58.7	5.0			
Testis	5.2	1.3	0.5				0.6	0.2	0.2			
Urinary bladder (incl. in situ)	38.2	15.6	2.4	19.0	4.2	0.9	9.8	4.2	1.3	10.0	2.3	0.6
Kidney and renal pelvis	35.8	11.6	1.8	30.4	6.2	1.0	8.2	3.0	1.0	8.4	1.8	0.5
Brain and other nervous system	18.6	5.1	1.1	24.4	4.9	0.9	7.4	2.0	0.7	8.4	1.7	0.5
Thyroid	6.0	1.6	0.6	37.2	7.0	1.0	0.6	0.2	0.2	3.2	0.7	0.4
Hodgkin lymphoma	9.4	2.3	0.7	8.2	1.4	0.4	1.8	0.5	0.3	1.0	0.2	0.1
Non-Hodgkin lymphomas	60.4	17.9	2.2	63.8	12.7	1.4	22.2	7.3	1.5	21.6	4.4	0.8
Multiple myeloma	28.0	10.8	2.0	47.0	10.0	1.3	12.0	4.3	1.2	22.2	4.9	0.9
Leukemias	26.8	8.4	1.6	32.4	6.7	1.0	16.6	5.8	1.4	19.8	4.2	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Kings (Brooklyn)*

*Asians and Pacific Islanders*

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	238.8	335.2	21.2	201.8	240.7	15.6	94.8	147.5	15.0	69.2	96.1	10.7						
Oral cavity and pharynx	15.6	14.7	3.4	9.8	10.4	3.0	6.6	7.0	2.5	3.2	4.0	2.1						
Esophagus	2.8	3.8	2.1	0.6	0.8	0.9	1.2	1.5	1.3	0.6	0.8	0.9						
Stomach	15.8	23.2	5.8	8.4	10.8	3.4	6.6	9.9	3.6	4.8	7.0	3.0						
Colorectal	32.8	49.3	8.5	21.0	28.1	5.7	10.6	19.0	5.8	7.6	11.2	3.8						
Colon excluding rectum	21.6	33.4	7.0	15.4	20.5	4.8	9.0	16.9	5.5	6.8	10.3	3.7						
Rectum & rectosigmoid	11.2	15.9	4.8	5.6	7.6	3.0	1.6	2.2	1.7	0.8	0.9	0.9						
Liver / intrahepatic bile duct	27.0	33.2	6.2	7.8	9.9	3.3	16.0	22.1	5.5	4.4	6.3	2.8						
Pancreas	5.8	8.9	3.6	4.6	6.7	2.8	4.2	6.8	3.2	4.2	6.6	2.9						
Larynx	2.2	2.9	1.9	0.6	0.8	0.9	0.8	1.0	1.1	0.0	0.0	0.0						
Lung and bronchus	38.6	58.2	8.9	18.8	25.6	5.5	25.0	40.2	7.7	12.2	18.0	4.7						
Melanoma of the skin	0.4	0.5	0.7	0.8	1.0	0.9	0.6	0.6	0.7	0.0	0.0	0.0						
Female breast				53.4	59.6	7.5				8.6	10.8	3.4						
Cervix uteri				5.6	5.9	2.3				1.4	1.5	1.1						
Corpus uterus and NOS				13.0	14.1	3.5				2.4	2.8	1.6						
Ovary				8.0	9.3	3.0				5.0	7.0	2.9						
Prostate	37.4	59.1	9.1				3.2	7.6	4.1									
Testis	1.6	1.2	0.9				0.0	0.0	0.0									
Urinary bladder (incl. in situ)	8.8	13.8	4.4	2.0	2.5	1.6	1.8	3.8	2.7	0.8	1.4	1.4						
Kidney and renal pelvis	6.8	8.6	3.2	3.6	4.3	2.1	2.0	3.3	2.4	1.0	1.4	1.3						
Brain and other nervous system	4.8	5.2	2.4	4.0	4.8	2.2	0.6	0.6	0.7	1.4	1.5	1.2						
Thyroid	3.4	4.3	2.4	12.4	11.7	3.0	0.2	0.2	0.3	0.2	0.3	0.6						
Hodgkin lymphoma	2.0	2.0	1.4	0.4	0.5	0.8	0.4	0.6	0.9	0.0	0.0	0.0						
Non-Hodgkin lymphomas	8.8	12.1	4.1	5.6	7.2	2.8	2.6	4.4	2.7	1.8	3.0	2.1						
Multiple myeloma	2.0	3.7	2.5	1.8	2.3	1.5	0.6	1.2	1.6	0.4	0.7	1.0						
Leukemias	6.4	8.4	3.3	4.0	5.1	2.4	4.4	6.5	3.2	2.4	3.3	2.0						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York (Manhattan)*

Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2337.8	504.7	9.3	2548.8	413.0	7.3	889.6	205.9	6.1	1033.0	159.8	4.4
Oral cavity and pharynx	73.6	15.3	1.6	35.8	5.6	0.8	18.0	3.8	0.8	10.4	1.5	0.4
Esophagus	33.8	7.4	1.1	16.0	2.4	0.5	28.4	6.4	1.1	12.0	1.8	0.5
Stomach	49.8	11.1	1.4	37.8	6.0	0.9	26.2	6.0	1.0	26.8	4.0	0.7
Colorectal	234.6	52.6	3.1	252.2	39.3	2.2	96.4	22.7	2.1	107.6	16.1	1.4
Colon excluding rectum	167.8	38.3	2.6	191.4	29.6	1.9	81.2	19.3	1.9	90.0	13.4	1.3
Rectum & rectosigmoid	66.8	14.3	1.6	60.8	9.7	1.1	15.2	3.4	0.8	17.6	2.7	0.6
Liver / intrahepatic bile duct	58.2	12.2	1.4	25.4	4.0	0.7	39.2	8.4	1.2	23.2	3.6	0.7
Pancreas	67.0	15.2	1.6	81.2	12.6	1.2	56.6	13.1	1.5	71.0	10.7	1.1
Larynx	32.4	7.1	1.1	9.6	1.6	0.5	11.2	2.5	0.7	4.8	0.7	0.3
Lung and bronchus	276.4	60.9	3.3	320.4	51.2	2.5	203.0	45.8	2.9	230.0	35.8	2.1
Melanoma of the skin	86.6	18.0	1.7	59.8	9.5	1.1	16.8	3.8	0.8	10.8	1.7	0.5
Female breast				794.6	131.5	4.1				178.2	27.6	1.8
Cervix uteri				43.6	7.3	1.0				17.2	2.9	0.6
Corpus uterus and NOS				156.0	25.6	1.8				27.8	4.5	0.8
Ovary				98.4	16.2	1.4				58.6	9.5	1.1
Prostate	651.8	140.7	4.9				111.2	28.3	2.4			
Testis	38.0	5.8	0.9				1.6	0.3	0.2			
Urinary bladder (incl. in situ)	146.8	33.6	2.5	64.8	10.2	1.1	33.2	8.1	1.3	16.0	2.2	0.5
Kidney and renal pelvis	84.2	17.9	1.7	43.4	7.0	1.0	20.4	4.6	0.9	11.2	1.7	0.5
Brain and other nervous system	45.0	9.5	1.3	39.8	7.2	1.0	23.2	5.0	0.9	17.4	3.0	0.6
Thyroid	29.6	5.5	0.9	73.4	11.7	1.2	2.8	0.6	0.3	3.0	0.4	0.2
Hodgkin lymphoma	22.0	4.1	0.8	20.8	3.6	0.7	4.2	0.9	0.4	3.0	0.5	0.3
Non-Hodgkin lymphomas	135.6	28.6	2.2	107.2	17.2	1.5	48.2	11.0	1.4	39.8	6.1	0.9
Multiple myeloma	26.6	6.1	1.0	28.2	4.6	0.8	17.2	4.2	0.9	18.2	2.8	0.6
Leukemias	59.0	13.5	1.6	61.6	10.2	1.2	36.0	8.2	1.2	41.6	6.6	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York (Manhattan)*

Site of Cancer	Blacks			Incidence			Males			Mortality					
	Males	Females		Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	711.2	563.3	18.9	718.0	362.3	11.9	323.6	280.5	14.0	341.8	167.2	8.0			
Oral cavity and pharynx	22.6	16.4	3.1	12.2	6.3	1.6	7.2	5.6	1.9	3.2	1.6	0.8			
Esophagus	16.8	13.6	3.0	12.0	5.9	1.5	11.4	9.2	2.4	9.2	4.6	1.3			
Stomach	23.4	19.9	3.7	21.0	10.1	2.0	13.6	12.1	2.9	12.2	5.7	1.4			
Colorectal	68.8	57.6	6.2	103.0	50.6	4.4	37.2	33.6	4.9	41.8	20.1	2.7			
Colon excluding rectum	48.4	41.5	5.4	80.6	39.5	3.9	31.8	29.1	4.6	38.2	18.4	2.6			
Rectum & rectosigmoid	20.4	16.2	3.2	22.4	11.2	2.1	5.4	4.5	1.7	3.6	1.7	0.8			
Liver / intrahepatic bile duct	25.0	18.5	3.3	10.0	5.0	1.4	15.2	11.7	2.7	9.2	4.4	1.3			
Pancreas	16.6	14.2	3.1	25.6	12.4	2.2	13.4	11.3	2.8	22.2	10.7	2.0			
Larynx	12.6	9.7	2.5	6.2	3.2	1.1	6.2	5.0	1.8	1.8	0.9	0.6			
Lung and bronchus	112.8	91.4	7.7	98.6	49.1	4.4	88.6	74.1	7.0	69.4	34.3	3.6			
Melanoma of the skin	0.6	0.5	0.6	0.8	0.4	0.4	0.6	0.6	0.7	1.2	0.6	0.5			
Female breast				189.0	97.7	6.3				59.2	29.4	3.4			
Cervix uteri				27.8	14.5	2.4				12.4	6.4	1.6			
Corpus uterus and NOS				39.6	20.0	2.8				13.4	6.7	1.6			
Ovary				18.0	9.3	1.9				14.4	7.2	1.7			
Prostate	243.8	196.0	11.2				61.4	59.9	6.8						
Testis	3.8	2.3	1.1				0.0	0.0	0.0						
Urinary bladder (incl. in situ)	18.8	15.7	3.2	14.4	7.0	1.6	4.8	4.3	1.8	6.6	3.1	1.1			
Kidney and renal pelvis	18.0	13.7	2.9	14.6	7.4	1.7	4.8	3.9	1.6	3.2	1.5	0.8			
Brain and other nervous system	4.8	3.3	1.3	6.4	3.5	1.2	2.2	1.9	1.1	3.2	1.7	0.8			
Thyroid	2.0	1.4	0.9	10.4	5.5	1.5	0.2	0.1	0.3	1.0	0.5	0.4			
Hodgkin lymphoma	5.4	3.5	1.3	4.6	2.5	1.0	1.4	1.1	0.8	0.8	0.4	0.4			
Non-Hodgkin lymphomas	30.8	21.5	3.4	19.8	10.2	2.0	9.8	7.8	2.2	5.4	2.7	1.0			
Multiple myeloma	12.4	10.2	2.6	15.8	7.7	1.7	5.6	4.7	1.8	10.0	4.8	1.3			
Leukemias	13.8	10.5	2.6	12.0	6.1	1.6	7.4	6.3	2.1	8.0	3.9	1.2			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*New York (Manhattan)*

*Asians and Pacific Islanders*

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	243.6	405.8	23.4	222.8	286.4	17.1	107.0	191.2	16.6	72.6	97.0	10.0						
Oral cavity and pharynx	15.6	22.6	5.1	4.8	5.9	2.4	4.4	7.0	3.0	0.6	0.8	0.9						
Esophagus	3.4	5.9	2.8	0.2	0.3	0.6	4.2	6.9	3.0	0.2	0.3	0.6						
Stomach	18.8	31.1	6.4	11.8	15.8	4.1	10.2	17.7	4.9	5.6	7.4	2.7						
Colorectal	36.0	62.1	9.3	30.2	40.0	6.4	11.0	20.6	5.6	8.6	11.4	3.4						
Colon excluding rectum	24.4	42.6	7.8	20.6	27.4	5.3	10.0	18.8	5.4	7.4	9.7	3.1						
Rectum & rectosigmoid	11.6	19.5	5.1	9.6	12.6	3.6	1.0	1.8	1.6	1.2	1.6	1.3						
Liver / intrahepatic bile duct	22.0	33.0	6.3	8.0	10.6	3.3	12.2	20.1	5.1	4.4	6.0	2.5						
Pancreas	5.6	9.6	3.6	7.0	9.4	3.1	2.2	3.7	2.2	5.6	7.7	2.9						
Larynx	2.6	4.0	2.2	0.0	0.0	0.0	0.4	0.8	1.2	0.0	0.0	0.0						
Lung and bronchus	40.4	71.9	10.1	21.6	28.9	5.5	32.4	59.3	9.3	15.8	21.1	4.7						
Melanoma of the skin	1.0	1.4	1.3	0.2	0.2	0.4	0.6	1.2	1.4	0.2	0.2	0.4						
Female breast				60.2	76.2	8.7				8.4	11.2	3.4						
Cervix uteri				6.0	7.3	2.7				1.0	1.3	1.2						
Corpus uterus and NOS				10.2	13.5	3.7				2.8	3.7	2.0						
Ovary				7.4	9.6	3.1				3.8	5.0	2.3						
Prostate	38.2	67.2	9.7				5.6	11.7	4.4									
Testis	1.6	2.4	1.8				0.0	0.0	0.0									
Urinary bladder (incl. in situ)	11.0	19.6	5.3	3.2	4.3	2.1	3.8	7.5	3.4	1.4	1.9	1.4						
Kidney and renal pelvis	6.2	10.3	3.7	2.6	3.4	1.8	1.2	2.1	1.7	0.8	1.1	1.1						
Brain and other nervous system	4.6	7.7	3.3	4.2	5.4	2.4	3.0	4.9	2.6	0.6	0.8	0.9						
Thyroid	5.0	5.5	2.3	13.2	14.4	3.6	0.0	0.0	0.0	0.0	0.0	0.0						
Hodgkin lymphoma	0.8	1.2	1.3	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0						
Non-Hodgkin lymphomas	9.0	14.2	4.3	9.4	12.3	3.6	2.6	4.4	2.4	3.0	3.9	2.0						
Multiple myeloma	2.0	3.4	2.1	2.0	2.7	1.7	1.2	2.1	1.7	0.8	1.1	1.1						
Leukemias	6.2	10.3	3.8	4.6	5.9	2.5	3.8	6.4	3.0	1.8	2.4	1.5						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Queens Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3133.2	498.6	7.8	3359.0	395.2	6.2	1234.4	196.8	4.9	1311.4	142.3	3.6
Oral cavity and pharynx	80.2	12.8	1.3	41.6	5.0	0.7	18.0	2.9	0.6	8.4	0.9	0.3
Esophagus	42.4	6.8	0.9	16.8	1.7	0.4	36.6	5.8	0.8	12.8	1.3	0.3
Stomach	100.2	16.0	1.4	75.6	8.1	0.8	50.0	8.0	1.0	42.8	4.5	0.6
Colorectal	431.4	68.6	2.9	451.2	48.0	2.0	150.4	24.0	1.7	157.6	16.0	1.2
Colon excluding rectum	301.0	47.9	2.4	334.8	35.1	1.7	130.8	20.8	1.6	140.6	14.3	1.1
Rectum & rectosigmoid	130.4	20.8	1.6	116.4	12.9	1.1	19.6	3.1	0.6	17.0	1.7	0.4
Liver / intrahepatic bile duct	67.0	10.7	1.2	35.0	3.8	0.6	50.8	8.1	1.0	28.8	3.0	0.5
Pancreas	88.8	14.1	1.3	103.8	10.5	0.9	77.4	12.3	1.2	80.2	8.0	0.8
Larynx	47.8	7.7	1.0	12.6	1.5	0.4	16.4	2.6	0.6	3.4	0.4	0.2
Lung and bronchus	462.6	73.7	3.0	406.4	45.1	2.0	339.0	54.0	2.6	283.4	30.8	1.6
Melanoma of the skin	66.6	10.6	1.1	71.0	8.8	0.9	16.2	2.6	0.6	15.4	1.8	0.4
Female breast				923.8	115.5	3.4				224.6	25.5	1.5
Cervix uteri				61.8	8.6	1.0				18.8	2.5	0.5
Corpus uterus and NOS				220.0	26.9	1.6				42.8	4.6	0.6
Ovary				125.4	15.7	1.3				75.0	8.6	0.9
Prostate	783.4	124.4	3.9				125.0	20.0	1.6			
Testis	30.4	4.5	0.7				1.6	0.3	0.2			
Urinary bladder (incl. in situ)	239.8	38.2	2.2	98.4	10.2	0.9	47.0	7.5	1.0	20.6	2.0	0.4
Kidney and renal pelvis	117.4	18.8	1.5	69.6	8.1	0.9	30.0	4.8	0.8	16.8	1.8	0.4
Brain and other nervous system	47.8	7.8	1.0	48.2	6.1	0.8	28.0	4.5	0.8	28.4	3.5	0.6
Thyroid	28.4	4.5	0.7	90.2	13.1	1.2	3.2	0.5	0.2	4.8	0.5	0.2
Hodgkin lymphoma	22.0	3.4	0.6	18.4	2.8	0.6	2.6	0.4	0.2	2.6	0.3	0.2
Non-Hodgkin lymphomas	136.8	21.7	1.6	135.4	15.5	1.2	56.8	9.0	1.1	53.6	5.7	0.7
Multiple myeloma	38.0	6.1	0.9	39.2	4.4	0.6	17.4	2.8	0.6	20.8	2.1	0.4
Leukemias	91.6	14.8	1.4	80.2	9.3	1.0	53.0	8.3	1.0	48.6	5.3	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Queens Blacks	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	896.4	534.8	16.4	865.8	322.7	9.7	315.8	206.3	10.7	359.0	136.1	6.3
Oral cavity and pharynx	23.6	13.6	2.6	13.4	4.9	1.2	5.0	2.6	1.0	2.6	1.0	0.5
Esophagus	14.0	8.6	2.1	10.4	3.9	1.1	10.8	6.5	1.8	5.6	2.1	0.8
Stomach	23.8	16.0	3.0	23.0	8.8	1.6	14.0	9.5	2.4	14.2	5.5	1.3
Colorectal	87.4	54.5	5.3	113.4	42.9	3.5	39.6	25.5	3.7	46.8	18.1	2.3
Colon excluding rectum	61.8	38.9	4.5	85.6	32.4	3.1	34.6	22.7	3.6	41.4	16.0	2.2
Rectum & rectosigmoid	25.6	15.7	2.8	27.8	10.4	1.7	5.0	2.8	1.1	5.4	2.1	0.8
Liver / intrahepatic bile duct	16.4	9.2	2.1	8.8	3.4	1.0	11.0	6.7	1.9	6.4	2.5	0.9
Pancreas	21.0	13.6	2.7	30.2	11.5	1.8	17.6	11.8	2.6	24.8	9.4	1.7
Larynx	10.8	6.2	1.7	3.0	1.1	0.6	5.0	2.9	1.2	1.8	0.7	0.5
Lung and bronchus	109.2	68.2	6.0	87.8	33.1	3.1	82.8	53.1	5.3	58.8	22.1	2.5
Melanoma of the skin	1.0	0.6	0.6	1.2	0.5	0.4	0.6	0.7	0.8	0.4	0.1	0.2
Female breast				258.2	95.1	5.2				75.4	28.3	2.9
Cervix uteri				33.2	12.1	1.9				12.2	4.4	1.1
Corpus uterus and NOS				58.0	21.2	2.5				17.8	6.7	1.4
Ovary				34.8	12.9	1.9				16.8	6.4	1.4
Prostate	412.2	244.6	11.0				58.0	44.4	5.3			
Testis	3.6	1.7	0.8				0.4	0.2	0.3			
Urinary bladder (incl. in situ)	20.8	14.4	2.9	13.0	5.1	1.2	5.4	3.6	1.4	4.6	1.8	0.7
Kidney and renal pelvis	20.6	12.2	2.5	14.6	5.5	1.3	4.8	3.0	1.3	4.0	1.6	0.7
Brain and other nervous system	9.2	4.7	1.4	8.0	3.0	0.9	4.2	2.0	0.9	3.6	1.4	0.6
Thyroid	4.2	2.0	0.9	18.2	6.5	1.3	0.8	0.4	0.4	2.2	0.8	0.5
Hodgkin lymphoma	6.4	2.9	1.0	5.0	1.8	0.7	0.8	0.4	0.4	1.0	0.3	0.3
Non-Hodgkin lymphomas	27.0	13.9	2.4	26.0	9.5	1.6	14.8	8.0	1.9	10.0	3.7	1.0
Multiple myeloma	18.6	10.8	2.3	21.6	8.2	1.6	7.0	4.3	1.5	10.8	4.2	1.1
Leukemias	16.0	9.3	2.2	14.4	5.5	1.3	8.6	5.4	1.7	8.2	3.2	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Site of Cancer	Asians and Pacific Islanders			Males			Incidence			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	440.6	303.4	14.2	472.6	256.8	11.1	164.8	127.0	9.7	127.8	82.1	6.8						
Oral cavity and pharynx	21.8	11.8	2.5	9.0	4.1	1.2	6.2	4.0	1.6	1.4	0.7	0.6						
Esophagus	6.6	4.6	1.8	2.6	1.6	0.9	4.0	3.5	1.7	1.0	0.6	0.5						
Stomach	36.8	27.7	4.5	19.6	12.2	2.6	17.4	13.1	3.1	9.2	6.2	1.9						
Colorectal	59.8	43.1	5.6	55.0	34.2	4.3	16.6	13.9	3.4	13.2	8.7	2.3						
Colon excluding rectum	36.6	27.7	4.6	39.0	25.1	3.8	12.0	10.9	3.1	10.8	7.3	2.1						
Rectum & rectosigmoid	23.2	15.4	3.2	16.0	9.1	2.1	4.6	3.1	1.4	2.4	1.4	0.8						
Liver / intrahepatic bile duct	36.6	22.9	3.7	13.2	7.8	2.0	21.4	13.8	3.0	8.6	5.4	1.7						
Pancreas	15.0	11.1	2.8	11.2	8.3	2.3	9.6	7.8	2.5	9.8	7.5	2.2						
Larynx	4.8	3.5	1.6	0.2	0.1	0.2	0.4	0.3	0.5	0.0	0.0	0.0						
Lung and bronchus	62.4	47.9	5.8	35.6	22.8	3.6	43.4	35.1	5.1	23.4	16.2	3.1						
Melanoma of the skin	1.6	1.1	0.8	0.8	0.5	0.5	0.6	0.5	0.6	0.8	0.3	0.3						
Female breast				145.4	70.0	5.3				17.0	8.7	2.0						
Cervix uteri				19.6	9.5	2.0				4.4	2.6	1.2						
Corpus uterus and NOS				28.8	14.1	2.4				3.4	1.8	0.9						
Ovary				21.4	11.1	2.3				7.4	4.5	1.6						
Prostate	78.4	58.1	6.3				8.6	9.0	2.8									
Testis	2.8	1.2	0.6				0.2	0.1	0.2									
Urinary bladder (incl. in situ)	17.8	13.4	3.1	7.2	5.1	1.8	3.2	3.1	1.7	1.2	1.0	0.8						
Kidney and renal pelvis	13.6	7.6	2.0	6.0	3.6	1.4	2.6	1.9	1.2	0.4	0.2	0.2						
Brain and other nervous system	6.6	3.4	1.2	6.2	3.3	1.2	1.6	0.8	0.6	2.8	1.9	1.1						
Thyroid	6.0	2.7	1.0	24.0	10.4	1.9	0.4	0.7	1.0	0.2	0.2	0.4						
Hodgkin lymphoma	2.6	1.1	0.6	2.2	1.0	0.6	0.0	0.0	0.0	0.4	0.2	0.2						
Non-Hodgkin lymphomas	18.8	12.0	2.8	14.0	7.9	2.0	6.6	4.7	1.9	3.2	2.4	1.3						
Multiple myeloma	3.8	2.2	1.0	4.2	3.0	1.4	1.0	0.6	0.5	3.0	2.3	1.2						
Leukemias	14.4	8.5	2.2	13.8	7.3	1.9	7.0	3.7	1.3	5.6	3.3	1.3						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Richmond (Staten Island)*

Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1027.8	613.6	17.1	980.2	448.6	12.6	364.2	231.1	10.9	385.4	171.0	7.7
Oral cavity and pharynx	21.6	12.4	2.4	11.8	5.4	1.4	3.6	2.2	1.0	2.6	1.2	0.6
Esophagus	9.0	5.4	1.6	2.8	1.3	0.7	9.4	5.6	1.6	2.4	1.1	0.6
Stomach	21.2	12.9	2.5	15.8	6.9	1.5	7.8	4.7	1.5	7.4	3.2	1.0
Colorectal	129.6	79.6	6.3	118.8	52.4	4.2	46.6	30.5	4.0	45.4	19.5	2.6
Colon excluding rectum	90.2	56.0	5.3	91.0	40.0	3.7	39.4	25.6	3.7	39.2	16.9	2.4
Rectum & rectosigmoid	39.4	23.6	3.4	27.8	12.4	2.1	7.2	4.9	1.6	6.2	2.6	0.9
Liver / intrahepatic bile duct	18.2	10.9	2.3	7.4	3.3	1.1	14.2	8.7	2.1	8.0	3.5	1.1
Pancreas	28.0	17.0	2.9	29.0	12.6	2.1	25.6	15.7	2.8	25.0	10.9	1.9
Larynx	13.6	7.6	1.9	4.6	2.2	0.9	5.0	3.2	1.3	1.4	0.7	0.5
Lung and bronchus	156.0	93.7	6.7	132.8	60.2	4.6	117.0	72.2	6.0	97.0	43.6	3.9
Melanoma of the skin	22.4	12.8	2.4	21.4	10.1	1.9	4.2	2.3	1.0	4.4	2.0	0.9
Female breast				285.2	132.0	6.9				68.8	30.7	3.3
Cervix uteri				17.6	8.4	1.8				4.6	2.2	0.9
Corpus uterus and NOS				60.0	27.4	3.1				11.6	5.1	1.3
Ovary				33.6	15.6	2.4				22.8	10.3	1.9
Prostate	290.8	171.5	9.0				32.6	24.1	3.8			
Testis	15.6	8.5	1.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	79.8	50.3	5.0	29.0	13.0	2.1	13.6	9.4	2.3	7.0	3.1	1.0
Kidney and renal pelvis	41.0	23.3	3.2	20.8	9.7	1.9	8.8	5.5	1.7	5.2	2.3	0.9
Brain and other nervous system	13.8	7.9	1.9	12.8	6.2	1.5	7.0	4.0	1.3	5.6	2.6	1.0
Thyroid	10.2	5.5	1.5	26.2	12.9	2.2	0.4	0.2	0.3	1.4	0.6	0.4
Hodgkin lymphoma	6.6	3.7	1.3	9.2	4.6	1.4	0.6	0.3	0.4	0.6	0.3	0.3
Non-Hodgkin lymphomas	49.2	29.0	3.7	39.2	18.0	2.5	17.4	10.7	2.3	13.0	5.8	1.4
Multiple myeloma	11.8	7.4	1.9	11.2	4.9	1.3	4.4	2.8	1.2	7.0	3.0	1.0
Leukemias	25.6	15.4	2.7	24.4	11.1	2.0	12.6	7.9	2.0	12.2	5.4	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Erie

Whites

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2425.8	579.5	10.4	2462.0	439.6	8.0	1010.2	244.2	6.8	1055.8	171.6	4.8
Oral cavity and pharynx	59.6	14.2	1.6	32.6	5.8	0.9	14.8	3.6	0.8	11.4	1.8	0.5
Esophagus	37.4	8.9	1.3	11.4	1.8	0.5	32.4	7.7	1.2	10.6	1.6	0.5
Stomach	49.0	11.7	1.5	34.4	5.3	0.8	26.6	6.4	1.1	21.2	3.1	0.6
Colorectal	286.0	68.3	3.6	299.6	48.3	2.5	100.2	24.5	2.2	107.4	16.5	1.4
Colon excluding rectum	193.6	46.4	2.9	225.8	35.9	2.2	87.2	21.3	2.0	97.0	14.8	1.4
Rectum & rectosigmoid	92.4	21.9	2.0	73.8	12.4	1.3	13.0	3.2	0.8	10.4	1.7	0.5
Liver / intrahepatic bile duct	27.0	6.4	1.1	14.6	2.5	0.6	23.0	5.4	1.0	15.0	2.4	0.6
Pancreas	57.8	13.8	1.6	69.4	11.2	1.2	55.4	13.2	1.6	63.0	9.9	1.1
Larynx	35.8	8.4	1.2	10.2	1.8	0.5	11.2	2.7	0.7	3.4	0.5	0.3
Lung and bronchus	402.0	94.8	4.2	366.8	62.5	2.9	326.8	77.4	3.8	284.2	47.2	2.5
Melanoma of the skin	66.6	15.9	1.7	53.0	10.6	1.3	12.6	3.0	0.7	12.6	2.2	0.6
Female breast				703.2	131.7	4.5				170.8	28.9	2.0
Cervix uteri				31.0	6.9	1.1				9.4	1.9	0.6
Corpus uterus and NOS				150.4	28.2	2.1				23.6	3.9	0.7
Ovary				84.4	15.4	1.5				57.6	9.6	1.1
Prostate	685.0	161.9	5.4				102.8	26.2	2.3			
Testis	18.6	5.0	1.0				1.2	0.3	0.3			
Urinary bladder (incl. in situ)	188.0	45.2	2.9	79.2	12.9	1.3	35.2	8.8	1.3	20.8	3.0	0.6
Kidney and renal pelvis	81.8	19.5	1.9	51.4	8.9	1.1	26.4	6.4	1.1	14.6	2.2	0.5
Brain and other nervous system	39.8	9.8	1.4	34.0	6.8	1.1	27.6	6.6	1.1	18.8	3.4	0.7
Thyroid	18.6	4.6	0.9	58.4	13.4	1.6	1.6	0.4	0.3	3.2	0.5	0.3
Hodgkin lymphoma	13.2	3.4	0.8	14.4	3.5	0.8	1.6	0.4	0.3	2.4	0.5	0.3
Non-Hodgkin lymphomas	97.4	23.8	2.1	98.2	17.3	1.6	38.6	9.4	1.3	42.0	6.7	0.9
Multiple myeloma	31.8	7.6	1.2	29.4	4.6	0.8	18.0	4.4	0.9	17.4	2.7	0.6
Leukemias	83.2	20.6	2.0	65.6	10.9	1.2	43.6	10.7	1.4	34.0	5.2	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Erie

Blacks

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	289.0	681.3	36.1	242.6	401.9	22.7	129.4	324.1	25.9	120.8	203.8	16.3
Oral cavity and pharynx	8.6	18.7	5.6	5.4	8.8	3.3	3.0	6.3	3.2	2.0	3.4	2.1
Esophagus	6.0	14.5	5.3	2.8	5.0	2.6	4.0	9.4	4.2	2.8	5.1	2.7
Stomach	6.4	16.6	6.0	3.0	5.1	2.6	5.6	13.9	5.3	1.8	3.0	2.0
Colorectal	30.8	74.9	12.2	33.2	56.0	8.5	11.8	30.5	8.2	15.2	25.8	5.8
Colon excluding rectum	23.0	56.8	10.7	25.8	43.6	7.5	10.8	27.4	7.6	13.8	23.3	5.5
Rectum & rectosigmoid	7.8	18.1	5.9	7.4	12.4	4.0	1.0	3.1	2.9	1.4	2.6	1.9
Liver / intrahepatic bile duct	5.4	11.6	4.4	1.8	3.0	1.9	3.8	8.5	3.9	1.8	3.1	2.0
Pancreas	8.6	20.2	6.2	8.2	14.2	4.4	7.0	16.4	5.5	8.2	14.1	4.3
Larynx	5.2	12.0	4.7	1.4	2.2	1.6	2.2	5.7	3.5	0.4	0.7	0.9
Lung and bronchus	54.4	130.9	16.0	44.2	73.5	9.7	45.4	111.7	15.0	34.0	56.7	8.6
Melanoma of the skin	0.2	0.5	0.9	0.2	0.3	0.6	0.2	0.5	1.0	0.0	0.0	0.0
Female breast				66.4	108.7	11.7				16.6	27.7	6.0
Cervix uteri				5.0	8.2	3.2				2.2	3.7	2.2
Corpus uterus and NOS				11.2	18.5	4.9				4.4	7.4	3.1
Ovary				5.6	9.3	3.5				4.0	6.8	3.0
Prostate	106.8	256.6	22.3				18.0	53.2	11.4			
Testis	1.2	2.5	2.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	6.0	14.3	5.3	4.2	7.1	3.0	1.4	3.5	2.7	0.8	1.4	1.4
Kidney and renal pelvis	7.6	17.1	5.5	5.8	9.7	3.5	1.6	3.4	2.4	1.8	2.9	1.9
Brain and other nervous system	1.8	3.3	2.2	3.0	4.6	2.4	1.0	2.0	1.8	0.6	1.0	1.1
Thyroid	0.8	1.7	1.8	7.2	11.4	3.7	0.0	0.0	0.0	0.2	0.3	0.6
Hodgkin lymphoma	2.0	3.5	2.2	0.6	0.9	1.0	0.4	0.7	1.0	0.2	0.3	0.6
Non-Hodgkin lymphomas	9.6	19.4	5.5	5.8	9.7	3.5	4.8	11.1	4.6	3.0	5.1	2.6
Multiple myeloma	6.0	14.8	5.4	4.8	8.1	3.2	3.4	8.7	4.3	4.2	7.0	3.0
Leukemias	5.6	12.9	4.9	4.8	7.6	3.1	3.2	7.2	3.6	2.4	4.2	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Monroe*

*Whites*

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1662.4	570.3	12.3	1744.2	452.5	9.7	660.2	231.1	7.9	709.8	168.3	5.7
Oral cavity and pharynx	36.6	12.3	1.8	23.8	6.2	1.1	10.4	3.6	1.0	6.6	1.7	0.6
Esophagus	21.8	7.5	1.4	10.8	2.6	0.7	25.4	8.7	1.5	10.8	2.5	0.7
Stomach	30.8	10.7	1.7	20.0	4.5	0.9	13.8	4.8	1.1	12.4	2.7	0.7
Colorectal	196.8	68.2	4.3	208.6	49.9	3.1	69.2	24.4	2.6	78.2	17.0	1.7
Colon excluding rectum	135.4	47.2	3.6	148.2	34.5	2.6	57.6	20.3	2.4	63.2	13.6	1.6
Rectum & rectosigmoid	61.4	21.0	2.4	60.4	15.4	1.8	11.6	4.1	1.0	15.0	3.4	0.8
Liver / intrahepatic bile duct	16.4	5.6	1.2	11.6	2.9	0.8	14.0	4.8	1.1	10.6	2.4	0.7
Pancreas	44.0	15.1	2.0	43.6	10.0	1.4	37.6	13.0	1.9	42.6	9.5	1.3
Larynx	22.8	7.6	1.4	6.4	1.7	0.6	5.2	1.8	0.7	1.6	0.4	0.3
Lung and bronchus	230.8	79.6	4.6	214.2	54.1	3.3	181.6	63.0	4.1	168.0	41.3	2.9
Melanoma of the skin	44.4	15.0	2.0	31.4	9.0	1.4	10.0	3.4	0.9	6.4	1.8	0.6
Female breast				551.4	148.0	5.6				104.6	26.0	2.3
Cervix uteri				20.2	6.2	1.2				5.2	1.5	0.6
Corpus uterus and NOS				108.2	29.0	2.5				15.6	3.7	0.8
Ovary				62.6	16.5	1.9				40.4	9.7	1.4
Prostate	482.4	165.7	6.6				74.8	27.4	2.8			
Testis	23.4	8.0	1.5				1.0	0.3	0.3			
Urinary bladder (incl. in situ)	147.6	50.7	3.7	57.4	14.0	1.7	29.0	10.4	1.7	14.4	3.1	0.7
Kidney and renal pelvis	57.4	19.4	2.2	38.8	9.9	1.4	16.4	5.6	1.2	12.6	2.9	0.7
Brain and other nervous system	28.6	9.6	1.6	24.2	7.0	1.3	15.0	5.0	1.1	14.2	3.8	0.9
Thyroid	14.4	4.8	1.1	38.0	11.8	1.7	1.8	0.6	0.4	1.6	0.4	0.3
Hodgkin lymphoma	11.8	4.0	1.0	9.8	3.2	0.9	2.0	0.7	0.4	1.8	0.5	0.3
Non-Hodgkin lymphomas	67.6	22.9	2.5	70.6	18.2	1.9	29.6	10.3	1.7	30.6	7.2	1.2
Multiple myeloma	20.2	6.9	1.4	18.2	4.4	0.9	11.8	4.1	1.1	11.8	2.8	0.7
Leukemias	57.6	19.9	2.3	49.0	12.6	1.6	34.0	12.1	1.8	27.8	6.5	1.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Monroe*

*Blacks*

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	185.8	660.8	47.4	143.8	377.4	29.3	83.2	343.0	37.8	57.0	169.6	20.8						
Oral cavity and pharynx	7.4	22.9	8.0	1.8	5.4	3.7	3.0	10.1	5.5	0.8	2.1	2.2						
Esophagus	4.4	14.5	6.5	0.6	1.5	1.7	3.0	12.3	6.9	0.4	1.1	1.5						
Stomach	4.6	17.5	8.3	4.6	12.2	5.2	2.8	12.2	7.9	1.2	4.1	3.4						
Colorectal	17.6	67.1	15.9	18.2	49.3	10.7	8.2	36.6	13.1	6.6	19.3	7.0						
Colon excluding rectum	12.8	54.2	15.0	14.6	40.8	9.9	6.2	29.6	12.2	5.4	16.3	6.5						
Rectum & rectosigmoid	4.8	12.9	5.2	3.6	8.5	4.1	2.0	7.0	4.7	1.2	3.0	2.5						
Liver / intrahepatic bile duct	4.4	13.9	6.3	0.8	2.0	2.0	3.2	10.1	5.2	0.6	1.3	1.4						
Pancreas	5.0	18.6	7.9	5.0	14.9	6.2	4.4	15.5	7.0	4.4	14.0	6.1						
Larynx	4.4	13.0	5.6	1.2	2.5	2.0	1.4	4.4	3.3	0.0	0.0	0.0						
Lung and bronchus	30.0	108.2	19.0	18.2	51.9	11.2	25.2	93.5	17.7	12.6	36.1	9.4						
Melanoma of the skin	0.2	0.6	1.3	0.2	0.4	0.8	0.2	1.2	2.4	0.0	0.0	0.0						
Female breast				43.2	105.1	14.8				7.6	21.6	7.3						
Cervix uteri				3.0	8.2	4.4				1.6	3.6	2.7						
Corpus uterus and NOS				8.2	24.2	7.8				3.0	10.4	5.5						
Ovary				3.2	8.0	4.2				3.4	10.0	5.0						
Prostate	68.2	259.2	30.9				13.6	78.8	21.3									
Testis	0.8	2.6	2.8				0.0	0.0	0.0									
Urinary bladder (incl. in situ)	4.8	17.4	7.6	1.8	6.2	4.2	0.4	1.5	2.1	0.8	3.4	3.3						
Kidney and renal pelvis	5.2	14.9	6.1	3.6	8.7	4.3	1.8	5.4	3.8	1.0	3.2	3.0						
Brain and other nervous system	1.4	3.2	2.7	2.4	5.3	3.3	1.0	2.4	2.1	1.8	3.9	2.6						
Thyroid	1.2	5.2	4.6	4.0	9.4	4.5	0.0	0.0	0.0	0.4	1.8	2.4						
Hodgkin lymphoma	2.0	4.4	2.7	1.0	1.7	1.5	0.2	0.4	0.8	0.0	0.0	0.0						
Non-Hodgkin lymphomas	7.4	20.0	6.7	5.0	10.1	4.1	1.6	5.1	3.9	0.6	1.6	1.8						
Multiple myeloma	3.8	14.3	6.8	3.6	11.5	5.5	1.4	5.7	4.5	2.0	7.1	4.5						
Leukemias	3.0	9.6	5.4	2.2	5.6	3.7	1.6	6.9	5.2	1.2	3.8	3.2						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Nassau Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3409.4	568.4	8.6	3479.6	466.0	7.1	1235.4	209.9	5.3	1303.2	162.5	4.0
Oral cavity and pharynx	68.6	11.5	1.2	43.4	5.8	0.8	14.2	2.3	0.5	8.6	1.1	0.3
Esophagus	43.2	7.1	1.0	17.6	2.1	0.4	39.0	6.5	0.9	14.6	1.8	0.4
Stomach	77.2	13.1	1.3	44.4	5.6	0.7	36.0	6.1	0.9	22.6	2.8	0.5
Colorectal	395.2	66.0	2.9	422.2	52.0	2.3	137.4	23.3	1.8	133.2	15.8	1.2
Colon excluding rectum	269.0	45.0	2.4	312.6	38.1	1.9	115.0	19.6	1.6	113.6	13.3	1.1
Rectum & rectosigmoid	126.2	21.0	1.6	109.6	13.9	1.2	22.4	3.8	0.7	19.6	2.5	0.5
Liver / intrahepatic bile duct	43.2	7.1	0.9	19.0	2.4	0.5	31.6	5.2	0.8	18.4	2.2	0.5
Pancreas	93.6	15.5	1.4	103.0	12.4	1.1	80.6	13.4	1.3	89.6	10.8	1.0
Larynx	39.4	6.5	0.9	11.2	1.5	0.4	10.2	1.7	0.5	3.4	0.4	0.2
Lung and bronchus	474.8	78.6	3.2	465.0	58.8	2.4	341.6	57.1	2.7	319.0	39.5	2.0
Melanoma of the skin	136.4	22.9	1.7	100.2	14.4	1.3	26.6	4.5	0.8	18.2	2.4	0.5
Female breast				1045.6	145.2	4.0				225.4	29.2	1.7
Cervix uteri				46.4	7.0	0.9				13.8	1.9	0.5
Corpus uterus and NOS				230.0	31.2	1.8				35.8	4.5	0.7
Ovary				127.2	17.4	1.4				74.2	9.4	1.0
Prostate	978.4	160.3	4.5				130.2	23.4	1.8			
Testis	33.4	6.4	1.0				1.8	0.3	0.2			
Urinary bladder (incl. in situ)	278.6	46.3	2.5	100.0	12.6	1.1	46.2	8.2	1.1	18.6	2.2	0.4
Kidney and renal pelvis	129.0	21.3	1.7	75.4	10.1	1.0	31.0	5.2	0.8	20.0	2.4	0.5
Brain and other nervous system	51.4	8.9	1.1	42.2	6.4	0.9	31.2	5.3	0.8	25.4	3.5	0.6
Thyroid	34.4	6.0	0.9	96.4	16.1	1.5	2.6	0.4	0.2	4.6	0.5	0.2
Hodgkin lymphoma	25.6	4.8	0.8	19.2	3.5	0.7	3.6	0.6	0.3	3.8	0.5	0.2
Non-Hodgkin lymphomas	150.6	25.6	1.8	138.2	18.1	1.4	59.6	10.1	1.2	53.8	6.6	0.8
Multiple myeloma	41.8	6.8	0.9	38.4	4.7	0.7	24.0	4.0	0.7	21.8	2.5	0.5
Leukemias	98.0	16.8	1.5	74.2	10.1	1.1	60.2	10.3	1.2	44.4	5.7	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Nassau Blacks	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	303.6	693.8	39.3	254.8	361.9	20.4	98.6	251.6	25.6	107.2	160.3	13.9
Oral cavity and pharynx	7.0	14.7	5.7	3.2	4.7	2.4	3.0	7.2	4.3	1.2	2.2	1.7
Esophagus	4.4	8.8	3.9	2.4	3.4	2.0	3.6	7.5	4.1	1.4	1.9	1.4
Stomach	7.8	18.1	6.6	5.4	8.8	3.4	5.2	12.6	5.7	2.8	4.8	2.5
Colorectal	31.8	78.5	14.0	34.6	52.2	8.0	11.8	28.1	8.1	12.6	19.4	4.9
Colon excluding rectum	24.0	62.4	12.8	28.6	42.8	7.2	9.6	23.3	7.5	11.2	17.2	4.6
Rectum & rectosigmoid	7.8	16.1	5.7	6.0	9.5	3.4	2.2	4.8	3.1	1.4	2.1	1.6
Liver / intrahepatic bile duct	3.2	6.5	3.4	2.6	4.2	2.4	2.6	4.9	2.9	1.2	1.9	1.5
Pancreas	7.8	18.0	6.1	8.6	13.3	4.1	5.4	13.5	6.0	7.2	11.0	3.7
Larynx	3.0	6.1	3.3	1.2	1.6	1.3	2.4	5.3	3.6	0.8	0.9	0.9
Lung and bronchus	38.4	89.2	14.1	27.4	40.9	7.0	24.8	56.9	10.9	19.4	29.4	6.0
Melanoma of the skin	0.2	0.3	0.6	1.2	1.7	1.4	0.4	0.8	1.1	0.2	0.4	0.8
Female breast				75.8	100.9	10.4				23.2	31.2	5.8
Cervix uteri				7.8	10.7	3.4				1.6	2.5	1.8
Corpus uterus and NOS				14.0	19.0	4.6				4.2	6.0	2.6
Ovary				8.6	12.5	3.8				5.8	8.4	3.1
Prostate	140.0	321.3	26.4				15.4	60.7	14.8			
Testis	0.2	0.3	0.6				0.2	0.3	0.6			
Urinary bladder (incl. in situ)	8.4	19.6	6.6	5.0	7.6	3.0	1.8	6.6	5.2	2.4	3.8	2.2
Kidney and renal pelvis	5.8	12.8	5.4	5.0	7.4	3.0	1.2	3.0	3.1	0.6	1.1	1.2
Brain and other nervous system	3.6	6.3	3.1	3.2	4.5	2.2	1.8	4.2	3.0	1.6	2.4	1.7
Thyroid	1.6	2.6	1.8	4.2	5.3	2.3	0.0	0.0	0.0	0.2	0.2	0.4
Hodgkin lymphoma	1.6	2.4	1.6	2.6	3.3	1.8	0.2	0.5	1.1	0.2	0.2	0.5
Non-Hodgkin lymphomas	9.0	15.7	4.8	10.2	14.0	3.9	3.2	6.9	3.7	3.4	5.2	2.6
Multiple myeloma	6.2	14.9	6.0	8.0	12.2	3.9	3.0	6.1	3.2	4.0	6.5	2.9
Leukemias	4.6	9.7	4.7	5.8	8.5	3.2	2.6	5.3	3.0	4.4	6.4	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Suffolk Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3513.6	610.5	9.2	3552.6	485.5	7.2	1269.8	236.9	6.0	1353.2	180.3	4.3
Oral cavity and pharynx	77.8	12.9	1.3	40.2	5.4	0.7	18.0	3.2	0.7	10.2	1.3	0.4
Esophagus	47.8	8.2	1.1	15.0	1.9	0.4	43.0	7.5	1.0	15.0	1.9	0.4
Stomach	80.4	14.5	1.5	42.2	5.6	0.8	34.0	6.4	1.0	25.6	3.3	0.6
Colorectal	421.6	75.4	3.3	411.8	54.8	2.4	137.6	26.0	2.0	148.0	19.3	1.4
Colon excluding rectum	292.8	53.2	2.8	317.0	42.1	2.1	118.6	22.5	1.9	132.6	17.3	1.3
Rectum & rectosigmoid	128.8	22.1	1.7	94.8	12.7	1.2	19.0	3.5	0.7	15.4	2.0	0.4
Liver / intrahepatic bile duct	39.2	6.5	0.9	17.2	2.3	0.5	29.4	5.2	0.9	20.6	2.8	0.5
Pancreas	84.0	15.2	1.5	96.0	12.8	1.2	75.6	14.1	1.5	89.4	11.9	1.1
Larynx	41.8	7.2	1.0	12.4	1.7	0.4	15.8	2.9	0.7	2.8	0.4	0.2
Lung and bronchus	506.6	90.1	3.6	495.6	67.3	2.7	376.0	68.2	3.2	340.6	45.8	2.2
Melanoma of the skin	113.8	19.4	1.6	90.0	12.6	1.2	25.8	4.6	0.8	16.6	2.3	0.5
Female breast				1073.6	147.4	4.0				226.8	30.3	1.8
Cervix uteri				60.6	8.6	1.0				18.2	2.5	0.5
Corpus uterus and NOS				230.0	31.3	1.8				34.8	4.6	0.7
Ovary				118.2	16.3	1.3				71.8	9.7	1.0
Prostate	1001.2	170.8	4.8				110.8	24.0	2.1			
Testis	52.8	8.4	1.0				2.2	0.3	0.2			
Urinary bladder (incl. in situ)	290.0	52.4	2.8	102.2	13.6	1.2	53.2	10.7	1.3	18.4	2.3	0.5
Kidney and renal pelvis	133.0	22.0	1.7	78.2	10.8	1.1	34.0	6.0	0.9	19.8	2.6	0.5
Brain and other nervous system	60.4	9.7	1.1	51.0	7.3	0.9	27.2	4.4	0.7	24.8	3.4	0.6
Thyroid	44.2	6.8	0.9	114.2	16.7	1.4	3.0	0.5	0.3	3.8	0.5	0.2
Hodgkin lymphoma	24.0	3.9	0.7	25.4	4.1	0.7	4.0	0.7	0.3	4.0	0.6	0.3
Non-Hodgkin lymphomas	142.4	24.2	1.8	129.6	17.7	1.4	52.0	9.4	1.2	47.8	6.4	0.8
Multiple myeloma	42.8	7.8	1.1	35.0	4.7	0.7	24.8	4.8	0.9	18.6	2.4	0.5
Leukemias	102.8	18.4	1.6	79.2	10.8	1.1	54.6	10.0	1.2	44.6	6.0	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

Suffolk Blacks	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	187.8	585.9	41.5	174.6	387.9	26.5	78.6	297.6	33.1	80.4	191.0	19.2
Oral cavity and pharynx	4.0	10.5	4.7	3.2	6.7	3.4	1.6	4.5	3.2	0.4	0.9	1.4
Esophagus	2.6	10.5	6.4	1.4	3.3	2.5	3.0	12.1	7.1	1.4	3.3	2.5
Stomach	6.4	21.1	8.1	4.4	10.1	4.3	4.6	14.0	6.2	1.2	3.2	2.6
Colorectal	18.4	62.8	14.1	21.6	51.2	9.9	9.0	38.9	12.7	7.4	19.1	6.3
Colon excluding rectum	13.4	44.7	11.7	17.2	41.0	8.9	7.6	33.6	11.9	7.4	19.1	6.3
Rectum & rectosigmoid	5.0	18.1	7.9	4.4	10.2	4.4	1.4	5.3	4.5	0.0	0.0	0.0
Liver / intrahepatic bile duct	2.4	5.5	3.1	1.2	3.0	2.4	1.0	2.9	2.7	1.8	4.4	3.0
Pancreas	5.0	16.4	7.1	6.4	17.5	6.2	4.4	15.4	7.0	6.0	15.7	5.7
Larynx	2.6	6.4	3.5	1.2	2.4	2.0	1.4	3.6	2.7	0.6	1.3	1.5
Lung and bronchus	26.6	83.8	15.4	20.4	48.2	9.6	23.8	79.2	15.8	16.4	41.0	9.1
Melanoma of the skin	0.2	1.3	2.5	0.2	0.3	0.5	0.0	0.0	0.0	0.2	0.3	0.7
Female breast				53.0	111.7	13.8				17.0	38.1	8.4
Cervix uteri				7.4	14.6	4.8				3.4	6.8	3.3
Corpus uterus and NOS				8.0	18.1	5.8				4.0	9.2	4.1
Ovary				5.0	10.7	4.3				1.8	4.1	2.8
Prostate	81.0	264.1	28.3				12.4	66.9	17.9			
Testis	0.4	0.7	1.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	4.4	15.7	7.4	1.6	4.1	2.9	1.4	6.1	5.0	0.4	1.1	1.6
Kidney and renal pelvis	4.0	10.6	5.2	2.8	6.4	3.5	1.0	3.5	3.2	1.2	2.7	2.2
Brain and other nervous system	3.0	6.2	3.4	3.0	5.2	2.7	1.2	2.6	2.1	2.0	4.0	2.6
Thyroid	0.6	1.2	1.4	3.6	6.6	3.1	0.2	0.5	0.9	0.8	1.7	1.7
Hodgkin lymphoma	1.2	2.3	1.9	0.6	1.3	1.5	0.2	0.4	0.7	0.2	0.4	0.9
Non-Hodgkin lymphomas	7.2	20.1	7.4	6.8	14.1	4.9	2.4	7.8	4.8	1.6	3.2	2.3
Multiple myeloma	3.4	7.7	3.7	4.2	10.9	4.8	1.2	3.5	2.9	2.0	5.1	3.2
Leukemias	2.6	7.4	4.5	3.8	8.2	3.8	1.4	4.0	3.4	2.0	5.0	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Westchester*

Whites	Incidence						Mortality					
	Males			Females			Males			Females		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2091.2	564.4	10.9	2127.2	442.7	8.6	760.2	210.2	6.7	806.4	154.8	4.9
Oral cavity and pharynx	47.4	12.6	1.6	26.6	5.5	0.9	9.2	2.5	0.7	6.8	1.2	0.4
Esophagus	24.0	6.5	1.2	11.6	2.3	0.6	22.8	6.2	1.1	10.8	2.1	0.6
Stomach	47.4	13.0	1.7	31.8	6.0	0.9	26.8	7.4	1.3	20.4	3.8	0.7
Colorectal	246.4	66.9	3.7	239.6	45.6	2.6	84.2	23.3	2.2	91.6	16.5	1.5
Colon excluding rectum	174.6	47.6	3.2	185.6	34.8	2.3	74.0	20.5	2.1	81.2	14.6	1.4
Rectum & rectosigmoid	71.8	19.3	2.0	54.0	10.9	1.3	10.2	2.8	0.8	10.4	2.0	0.5
Liver / intrahepatic bile duct	27.6	7.5	1.3	15.4	3.0	0.7	22.2	6.0	1.1	13.4	2.4	0.6
Pancreas	54.0	14.7	1.8	61.0	11.6	1.3	51.4	14.1	1.7	52.2	9.7	1.2
Larynx	25.6	6.8	1.2	5.0	1.0	0.4	5.8	1.6	0.6	1.6	0.3	0.2
Lung and bronchus	266.4	72.1	3.9	273.6	54.8	2.9	198.6	54.1	3.4	179.6	35.0	2.3
Melanoma of the skin	78.0	20.8	2.1	48.0	10.3	1.3	13.4	3.6	0.9	9.4	1.9	0.6
Female breast				651.8	140.8	4.9				128.8	25.3	2.0
Cervix uteri				27.4	6.5	1.1				7.6	1.7	0.5
Corpus uterus and NOS				137.6	29.3	2.2				22.6	4.2	0.8
Ovary				80.0	17.2	1.7				52.4	10.5	1.3
Prostate	620.2	164.7	5.8				88.0	25.5	2.4			
Testis	23.4	6.7	1.2				0.6	0.2	0.2			
Urinary bladder (incl. in situ)	173.4	47.3	3.2	71.6	14.0	1.5	29.2	8.3	1.4	14.6	2.6	0.6
Kidney and renal pelvis	70.6	18.7	2.0	41.2	8.6	1.2	17.2	4.7	1.0	11.4	2.2	0.6
Brain and other nervous system	36.6	10.0	1.5	30.8	7.1	1.1	20.0	5.4	1.1	18.6	4.1	0.9
Thyroid	21.8	5.8	1.1	64.2	16.1	1.8	1.2	0.3	0.3	2.4	0.4	0.3
Hodgkin lymphoma	17.8	5.1	1.1	12.0	3.2	0.8	2.4	0.7	0.4	2.4	0.6	0.3
Non-Hodgkin lymphomas	93.8	25.5	2.3	93.4	19.1	1.8	35.4	9.7	1.4	34.6	6.4	1.0
Multiple myeloma	28.2	7.7	1.3	19.8	3.8	0.8	17.4	4.8	1.0	12.6	2.4	0.6
Leukemias	72.0	20.0	2.1	48.6	9.9	1.3	42.8	12.1	1.6	26.6	5.1	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry

Table 4. Cancer Incidence and Mortality by Gender and Race, 1999-2003

*Westchester*

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	288.4	634.8	34.8	269.8	366.3	19.7	120.4	294.4	25.2	121.6	168.4	13.5
Oral cavity and pharynx	6.0	11.8	4.5	4.0	5.4	2.4	3.4	7.8	4.0	1.6	2.2	1.5
Esophagus	6.4	15.2	5.6	3.2	4.3	2.1	4.8	11.3	4.8	2.0	2.6	1.6
Stomach	6.6	16.5	6.0	5.0	7.1	2.8	4.6	12.8	5.6	4.0	5.9	2.6
Colorectal	33.4	77.5	12.5	37.6	53.2	7.7	12.4	32.7	8.7	14.2	19.8	4.6
Colon excluding rectum	25.4	61.3	11.4	30.4	43.2	6.9	10.4	28.1	8.1	12.8	17.9	4.4
Rectum & rectosigmoid	8.0	16.2	5.3	7.2	10.0	3.3	2.0	4.6	3.0	1.4	1.8	1.4
Liver / intrahepatic bile duct	6.4	12.2	4.4	3.2	4.9	2.4	5.0	9.6	4.1	2.8	4.2	2.2
Pancreas	7.6	18.1	6.2	10.4	14.9	4.1	6.8	16.3	5.8	7.6	10.8	3.5
Larynx	6.2	12.0	4.4	1.2	1.5	1.2	1.8	4.0	2.7	1.0	1.3	1.2
Lung and bronchus	37.2	81.4	12.2	29.2	40.3	6.6	30.0	68.9	11.7	22.6	30.8	5.7
Melanoma of the skin	0.2	0.6	1.3	0.4	0.5	0.7	0.2	0.8	1.5	0.0	0.0	0.0
Female breast				76.2	100.2	10.1				23.2	31.1	5.7
Cervix uteri				9.4	12.2	3.5				3.0	3.9	2.0
Corpus uterus and NOS				17.8	23.8	5.0				6.6	9.1	3.1
Ovary				8.0	10.8	3.4				6.2	8.8	3.1
Prostate	117.0	260.5	22.3				20.8	61.9	12.5			
Testis	1.8	2.7	1.8				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	7.6	20.9	7.1	4.6	6.6	2.7	2.4	8.0	4.7	2.6	3.9	2.1
Kidney and renal pelvis	9.6	20.7	6.2	7.8	10.5	3.3	2.4	5.8	3.6	2.0	2.7	1.7
Brain and other nervous system	2.0	3.6	2.4	3.4	4.6	2.2	1.2	2.4	2.0	0.8	1.1	1.1
Thyroid	1.6	2.8	2.0	5.2	6.6	2.6	0.2	0.3	0.6	0.6	0.7	0.8
Hodgkin lymphoma	2.8	4.0	2.1	1.8	2.2	1.4	0.2	0.3	0.7	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.6	16.8	5.3	8.2	11.0	3.4	4.6	8.5	3.6	2.4	3.3	1.9
Multiple myeloma	8.0	18.5	6.1	7.6	10.7	3.4	5.0	12.0	5.0	2.4	3.5	2.0
Leukemias	6.2	12.9	4.9	4.4	6.0	2.5	4.6	9.1	3.9	2.2	3.1	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.